

Mr. Andrew Battjes
Multi-Color Corporation
2281 South U.S. 31
Scottsburg, Indiana 47170

Re: 143-15020
First Administrative Amendment to
Part 70 143-9310-00007

Dear Mr. Battjes:

Multi-Color Corporation was issued a Part 70 permit on April 16, 2001 for a stationary packaging rotogravure printing source. An application to modify the source was received on November 2, 2001 for the installation of insignificant activities with a total uncontrolled PTE of 2.3 tons of VOC per year. Therefore, this change qualifies for an Administrative Amendment which "revises descriptive information where the revision will not trigger a new applicable requirement or violate a permit term". Pursuant to the provisions of 2-7-11 the permit is hereby administratively amended to add the following insignificant activities and be labeled as item (g) under Section A.3 Specifically Regulated Insignificant Activities (changes are bolded and deletions are struck-through for emphasis):

- (g) **Two (2) seaming machines, each has a maximum application rate of 31.84 pounds of solvent per 1,000,000 meters of substrate; and a run speed of 140 meters per minute (mpm).**

No condition of the permit will be affected by this change. Please attach a copy of this amendment and the following revised permit pages to the front of the original permit.

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Aida De Guzman, at (800) 451-6027, press 0 and ask for Aida De Guzman or extension (3-4972), or dial (317) 233-4972.

Sincerely,

Paul Dubenetzky, Chief
Permits Branch
Office of Air Quality

Attachments
APD

cc: File - Scott County
U.S. EPA, Region V
Scott County Health Department
Air Compliance Section Inspector - Joe Foyst
Compliance Data Section - Karen Nowak
Administrative and Development - Janet Mobley
Technical Support and Modeling - Michele Boner

PART 70 OPERATING PERMIT OFFICE OF AIR QUALITY

**Multi-Color Corporation
2281 South U.S. 31
Scottsburg, Indiana 47170**

(herein known as the Permittee) is hereby authorized to operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-7 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17.

Operation Permit No.: T143-9310-00007	
Issued by: Janet G. McCabe, Assistant Commissioner Office of Air Quality	Issuance Date: April 16, 2001 Expiration Date:
1 st Administrative Amendment No.: 143-15020	Pages Affected: 8
Issued by: Original signed by Paul Dubenetzky Paul Dubenetzky, Chief Permit Branch Office of Air Quality	Issuance Date: December 5, 2001

- (3) Degreasing operations that do not exceed 145 gallons per twelve (12) months, except if subject to 326 IAC 20-6.
- (4) Other categories with emissions below insignificant thresholds:
 - (a) one (1) corona treater unit which generates ozone at a rate of 0.074 pounds ozone/kilowatt/hour (supplier factor). Ozone generation rates for Press #2 treater: 16 kW = 5.18 tons per year ozone maximum.
 - (b) one (1) 10,000 gallon, three-compartment horizontal solvent storage tank, storing isopropyl acetate or lower vapor pressure products, with VOC emissions below 15 pounds per day;
 - (c) one (1) 8,000 gallon vertical solvent storage tank, storing isopropyl acetate or lower vapor pressure products, with VOC emissions below 15 pounds per day;
 - (d) Ink mixing activities including an automated ink dispensing system with VOC emissions below 15 pounds per day;
 - (e) One (1) Offset Gravure Coater station with an Electron Beam Curing Unit, with a maximum line speed of 1000 feet per minute and a printing width of 42 inches with maximum coverage of 4.74 pounds per million square inches; and
 - (f) two (2) cyclone separators for collecting paper and plastic trim generated from label trimming operations, which is then fed to a bailer which bales the material in preparation for off-site recycling or disposal. Potential PM-10 emissions from this operation are less than 25 pounds per day.
 - (g) Two (2) seaming machines, each has a maximum application rate of 31.84 pounds of solvent per 1,000,000 meters of substrate; and a run speed of 140 meters per minute (mpm).

A.4 Part 70 Permit Applicability [326 IAC 2-7-2]

This stationary source is required to have a Part 70 permit by 326 IAC 2-7-2 (Applicability) because:

- (a) It is a major source, as defined in 326 IAC 2-7-1(22);
- (b) It is a source in a source category designated by the United States Environmental Protection Agency (U.S. EPA) under 40 CFR 70.3 (Part 70 - Applicability).